

Customized Small Size LCD - high brightness Cheap Solution CUSTOM MAKE 1000nits ~ 5000nits

Size	Model	Resolution	LCD Dimension	Active Dimension	I/O	PINs	Brightness	Touch Options
1.3	C-HB-130002S0	240x240	26.1x29.22x1.43	23.4x23.4	MCU8bit	24	1000	Yes
1.54	C-HB-154005S0	240x240	31.52x33.72x2.03	27.22x27.72	MCU8bit	20	1000	Yes
	C-HB-154005S0	240x240	31.52x33.72x2.03	27.22x27.72	MCU8bit	20	1000	Yes
	C-HB-154007S0	240x240	31.5x35x2.03	27.22x27.72	SPI3bit	24	1000	Yes
1.77	C-HB-180006P0	128x160	34.5x46.7x2.5	28.03x35.04	MCU8bit	20	1000	Yes
	C-HB-180014P0	128x160	32.6x42x2.3	28.03x35.04	MCU8bit	22	1000	Yes
	C-HB-180002C0	128x160	34.5x46.7x2.5	28.03x35.04	MCU8bit	20	1000	Yes
2	C-HB-200001C0	176x220	41.5x49.1x2.25	31.68x39.6	SPI4bit	18	1000	Yes
	C-HB-200005T0	240x320	33.64x47.22x2.35	30.24x40.32	RGB18bit	40	1000	Yes
	C-HB-200019P0	320x240	40.96x46.1x2.53	30.6x40.8	RGB6bit	40	1000	Yes
	C-HB-240020S0	240x320	34.6x47.8x1.95	30.24x40.32	MCU8bit	22	1000	Yes
2.2	C-HB-220001I0	176x220	41.5x51.26x2.2	34.85x43.56	SPI4bit	16	1000	Yes
2.31	C-HB-230005S0	320x240	50.8x45.8x2.35	46.75x35.06	RGB6bit	40	1000	Yes
	C-HB-230009S0	320x240	55.2x47.55x2.75	46.75x35.06	RGB6bit	40	1000	Yes
2.4	C-HB-240008C0	240x320	42.72x60.26x3.35	32.72x48.96	MCU8bit	24	1000	Yes
	C-HB-240009C0	240x320	42.72x60.26x2.2	32.72x48.96	MCU8bit	20	1000	Yes
	C-HB-240020S0	240x320	42.72x60.26x2.1	32.72x48.96	RGB18bit	40	1000	Yes
	C-HB-240026S0	240x320	42.72x60.26x2.1	32.72x48.96	RGB18bit	40	1000	Yes
	C-HB-240029C0	240x320	42.72x60.26x2.3	32.72x48.96	MCU16bit	37	1000	Yes
2.6	C-HB-260007S1	240x320	46x64x2.3	39.6x52.8	MCU8bit	37	1000	Yes
2.7	C-HB-270001P0	960x240	39.1x67.5x2.43	33.06x58.8	RGB6bit	40	1000	Yes
	C-HB-280019I0	240x320	50x69.2x2.3	43.2x57.6	MCU8bit	24	1000	Yes
	C-HB-280025I0	240x320	50x69.2x2.3	43.2x57.6	MCU16bit	37	1000	Yes

2.8	C-HB-280027I0	240x320	50x69.2x2.3	43.2x57.6	MCU16bit	37	1000	Yes
	C-HB-280033S0	240x320	42.8x72.3x2.61	36.72x61.2	MUC16bit	40	1000	Yes
	C-HB-280030S0	240x320	42.8x72.3x2.61	36.72x61.2	MUC16bit	40	1000	Yes
	C-HB-280035B1	240x320	50x69.2x2.45	43.2x57.6	RGB18bit	40	1000	Yes
3	C-HB-300001P0	960x240	42.64x74.91x2.45	36.84x65.52	RGB6bit	40	1000	Yes
	C-HB-300002P0	240x400	43.44x75.31x2.35	38.88x64.8	MCU8bit	40	1000	Yes
	C-HB-300008S0	360x640	42.64x74.91x2.45	36.84x65.52	MCU/RGB/I	40	1000	Yes
3.2	C-HB-320003S0	240x320	55.1x77.5x2.55	48.6x64.8	MCU8bit	24	1000	Yes
3.5	C-HB-350003T0	320x480	54.46x82.94x2.2	48.96x73.77	MCU16bit	39	1000	Yes
	C-HB-350013C0	320x480	54.44x84.07x2.1	48.96x73.77	MIPI	25	1000	Yes
	C-HB-350015C0	320x480	54.48x84.71x2.25	48.96x73.77	MIPI	25	1000	Yes
	C-HB-350025C0	320x480	54.48x84.71x2.25	48.96x73.77	MIPI	25	1000	Yes
	C-HB-350026C0	320x480	54.48x84.71x2.25	48.96x73.77	MCU/RGB/I	61	1000	Yes
3.97	C-HB-397013S3	480x800	57.14x96.85x1.85	51.84x86.4	MIPI	24	1000	Yes
	C-HB-397016C0	480x800	57.14x96.85x2.09	51.84x86.4	MIPI	24	1000	Yes
	C-HB-397017S0	480x800	57.14x96.85x2.09	51.84x86.4	RGB	45	1000	Yes
	C-HB-397028S0	480x800	57.14x96.85x2.09	51.84x86.4	RGB/MIPI		1000	Yes
	C-HB-39729C0	480x800	57.14x96.85x2.09	51.84x86.4	MCU/RGB/MIPI		1000	Yes
	C-HB-397020S1	480x800	57.14x96.85x1.85	51.84x86.4	MIPI	24	1000	Yes
4.3	C-HB-430002P0	480x272	105.42x67.07x2.95	95.04x53.856	RGB24bit	40	1000	Yes
	C-HB-430005S0	800x480	105.42x67.07x2.95	95.04x53.856	RGB24bit	40	1000	Yes
	C-HB-430003P0	480x272	105.42x67.07x2.95	95.04x53.856	RGB中8bit	40	1000	Yes
4.5	C-HB-450007C0	480x854	59.85x109x2.25	55.44x98.64	RGB24bit	40	1000	Yes
	C-HB-450008S1	480x854	60x109x1.7	55.44x98.64	MIPI	24	1000	Yes
	C-HB-450013S0	480x854	60x109x1.7	55.44x98.64	MIPI	24	1000	Yes
	C-HB-450014S0	480x854	60x109x1.7	55.44x98.64	MCU/RGB/I	61	1000	Yes
4.7	C-HB-4700002B0	720x1280	66.4x112.6x1.6	58.1x103.3	MIPI	25	1000	Yes
	C-HB-500028I0	480x854	66.4x120.05x2.27	61.56x109.53	MIPI	24	1000	Yes
	C-HB-500018I0	540x960	65.3x118.6x1.7	61.97x110.16	MIPI	39	1000	Yes
	C-HB-500031B0	720x1280	65.3x119.28x1.64	62.1x110.4	MIPI	30	1000	Yes

5	C-HB-500032P2	720x1280	65.3x119.28x1.64	62.1x110.4	MIPI	30	1000	Yes
	C-HB-500032B1	720x1280	65.3x119.28x1.64	62.1x110.4	MIPI	30	1000	Yes
	C-HB-500035P0	800x480	120.7x75.9x2.95	108x64.8	RGB24bit	40	1000	Yes
	C-HB-5000450	720x1280	65.3x119.28x1.64	62.1x110.4	MIPI	31	1000	Yes
	C-HB-500046I0	480x854	66.4x120.05x2.27	61.56x109.53	MIPI	31	1000	Yes
	C-HB-500047I0	480x854	66.4x120.05x2.27	61.56x109.53	RGB	40	1000	Yes
5.5	C-HB-550004P0	720x1280	71.3x128.8x1.67	68.04x128.96	MIPI	25	1000	Yes
	C-HB-550007P0	720x1280	71.3x128.8x1.67	68.04x128.96	MIPI	30	1000	Yes
	C-HB-550008P0	720x1280	71.3x128.8x1.67	68.04x128.96	MIPI	31	1000	Yes
	C-HB-550005P0	720x1280	70.64x129.17x1.59	68.04x128.96	MIPI	25	1000	Yes
6	C-HB-600004B0	540x960	77.46x141.05x2.05	4.52x132.48	MIPI	31	1000	Yes
7	C-HB-700003P0	800x480	164.9x100x2.95	68.04x128.96	TTL	50	1000	Yes
	C-HB-700004S0	720x1280	91.44x165.91x2.5	68.04x128.96	MIPI	31	1000	Yes
	C-HB-700005P0	1024x600	164.9x100x2.8	153.6x90	LVDS	40	1000	Yes
	C-HB-700006S0	1024x600	164.8x100x2.8	154.08x85.92	LVDS	40	1000	Yes
	C-HB-700007P0	1024x600	164.9x100x2.8	153.6x90	RGB	50	1000	Yes
	C-HB-700008S0	1024x600	164.8x100x2.8	154.08x85.92	RGB	50	1000	Yes
8	C-HB-800002N0	1024x768	174x136x2.5	162.5x121.54	LVDS	40	1000	Yes
	C-HB-800004N0	800x1280	114.6x184.1x2.5	107.64x172.22	MIPI	31	1000	Yes
	C-HB-800005A0	1200x1920	114.6x184.1x2.5	107.64x172.22	MIPI	31	1000	Yes
10.1	C-HB-100001P0	1024x600	235x143x2.9		LVDS	40	1000	Yes
	C-HB-100002P0	1024x600	235x143x2.9		TTL	50	1000	Yes
	C-HB-100008S0	1024x600	235x143x2.9		RGB	50	1000	Yes
	C-HB-100009S0	800x1280	143x228.6x2.4		MIPI	40	1000	Yes
10.4"	C-HB-1041024S0	1024x768	211.2x158.4	236x174.3x7.4	LVDS		1000	Yes
11.6"	C-HB-1161920S0	1920X1080	256.32x144.18	267.7x164.4x6.7	EDP		1000	Yes
13.3"	C-HB-1331920S0	1920X1080	293.76x165.24	307.6x183x5.5	EDP		1000	Yes
15.6"	C-HB-1561366S0	1366X768	344X193	363 x 215 x14	LVDS		1000	Yes
18.5"	C-HB-1851366S0	1366X768	409 x 230	430 x 255 x12	LVDS		1000	Yes
21.5"	C-HB-2151920S0	1920X1080	476 x 268	495 x 292 x11	LVDS		1000	Yes
31.5"	C-HB-3151920S0	1920X1080	698 x 392	731 x 426 x 35	LVDS		1000	Yes

SUNUL

Address: Building 2th, Xinan Second Industrial Zone, Shenzhen, Guangdong, China. 518100
E-mail: Inquiry@SunuL.com Mobile: +86 130 03642022 Phone: +86 755 3394 2898

WWW.SUNUL.COM